






ENLP Lecture 14

Deep Learning & Neural Networks

Austin Blodgett & Nathan Schneider

ENLP | March 13, 2019

a family of algorithms




NN Task	Example Input	Example Output
Binary classification		
Multiclass classification		
Sequence		
Sequence to Sequence		
Tree/Graph Parsing		

NN Task	Example Input	Example Output
Binary classification	features	+/-
Multiclass classification	features	decl, imper, ...
Sequence	sentence	POS tags
Sequence to Sequence	(English) sentence	(Spanish) sentence
Tree/Graph Parsing	sentence	dependency tree or AMR parsing

2. What's Deep Learning (DL)?


- **Deep learning** is a subfield of **machine learning**
- Most machine learning methods work well because of **human-designed representations** and **input features**
 - For example: features for finding named entities like locations or organization names (Finkel et al., 2010):
- Machine learning becomes just optimizing weights to best make a final prediction

Feature	NER
Current Word	✓
Previous Word	✓
Next Word	✓
Current Word Character n-gram	all
Current POS Tag	✓
Surrounding POS Tag Sequence	✓
Current Word Shape	✓
Surrounding Word Shape Sequence	✓
Presence of Word in Left Window	size 4
Presence of Word in Right Window	size 4



(Slide from [Manning and Socher](#))


Machine Learning vs. Deep Learning



(Slide from [Manning and Socher](#))

What's Deep Learning (DL)?

- **Representation learning** attempts to automatically learn good features or representations
- **Deep learning** algorithms attempt to learn (multiple levels of) representation and an output
- From “raw” inputs \mathbf{x} (e.g., sound, characters, or words)



(Slide from [Manning and Socher](#))

On the history of and term “Deep Learning”

- We will focus on different kinds of **neural networks**
 - The dominant model family inside deep learning
-
- We will not take a historical approach but instead focus on methods which work well on NLP problems now
 - For a long (!) history of deep learning models (starting ~1960s), see: [Deep Learning in Neural Networks: An Overview](#) by Jürgen Schmidhuber

(Slide from [Manning and Socher](#))

Reasons for Exploring Deep Learning


- In ~2010 **deep** learning techniques started outperforming other machine learning techniques. Why this decade?
 - Large amounts of training data favor deep learning
 - Faster machines and multicore CPU/GPUs favor Deep Learning
 - New models, algorithms, ideas
 - Better, more flexible learning of intermediate representations
 - Effective end-to-end joint system learning
 - Effective learning methods for using contexts and transferring between tasks
- **Improved performance** (first in speech and vision, then NLP)

(Slide from [Manning and Socher](#))

Deep Learning for Speech

- The first breakthrough results of “deep learning” on large datasets happened in speech recognition
- Context-Dependent Pre-trained Deep Neural Networks for Large Vocabulary Speech Recognition
Dahl et al. (2010)

Acoustic model	Recog WER	RT03S FSH	Hub5 SWB
Traditional features	1-pass -adapt	27.4	23.6
Deep Learning	1-pass -adapt	18.5 (-33%)	16.1 (-32%)






(Slide from [Manning and Socher](#))

Deep Learning for Computer Vision

Most deep learning groups have focused on computer vision (at least till 2 years ago)


The breakthrough DL paper: ImageNet Classification with Deep Convolutional Neural Networks by Krizhevsky, Sutskever, & Hinton, 2012, U. Toronto. 37% error red.




Zeiler and Fergus (2013)

Perceptron


(as in the classifier, not the learning algorithm)



Sigmoid Activation Function




Perceptron




“Neuron”


- A biological neuron receives electric signals as input and uses them to compute an electrical signal as output
- The perceptron in an artificial neural network is **loosely inspired** by the biological neuron
- The artificial neural networks we use for machine learning are NOT models of the brain!





FFNNs

- **Feed Forward Neural Net** – Multiple layers of neurons
- *Can solve non-linearly separable problems*
- (All arrows face the same direction)
- Applications:
 - *Text classification* – sentiment analysis, language detection, ...
 - *Unsupervised learning* – dimension reduction, word2vec









FAQ

- How do I interpret an NN?
 - An NN performs *function approximation*
 - Connections in an NN posit *relatedness*
 - Lack of connection posits *independence*

FAQ

- What do the weights mean?
 - *Functional perspective* – these weights optimize NN's task performance
 - *Representation perspective* – weights represent **unlabeled, distributed** knowledge (*useful* but not generally *interpretable*)

FAQ

- Can an NN learn anything?


- No, but ...

Theorem: 'One hidden layer is enough to represent (*not learn*) an approximation of any function to an arbitrary degree of accuracy'

- (*Given infinite training data, memory, etc.*)

FAQ


- What happens if I make an NN deeper?



Width controls
overfitting/underfitting

Depth allows complex
functions, can reduce
overfitting

Exponential Representation Advantage of Depth




(Goodfellow 2017)


activation functions

- **Activation function** – “squishes” neuron inputs into an output
 - Use in output layer – *Sigmoid (binary class), Softmax (Multiclass)*
 - Use in hidden layers – *ReLU, Leaky ReLU*

Sigmoid




ReLU (Rectified Linear Unit)



training

- To train an NN, you need:
 - **Training set** - ordered pairs each with an input and target output
 - **Loss function** - a function to be optimized, e.g. *Cross Entropy*
 - **Optimizer** - a method for adjusting the weights, e.g. *Gradient Descent*

Gradient Descent – use gradient to find lowest point in a function




backpropagation

- **Backpropagation** = Chain Rule + Dynamic Programming

Loss function – measures NN's performance.


Adjust weights by gradient (using a *learning weight*) of the loss. Save repeated partial computations along the way.

$$\Delta w_i = \frac{\partial}{\partial w_i} \text{Loss}(f(\mathbf{W}, \mathbf{V}, \dots, \mathbf{x}), \text{target})$$



loss functions

- **Loss function** – measures NN's performance.
 - Probabilistic interpretation
 - Binary output - **Binary Cross Entropy** and Sigmoid
 - Multiclass/Sequence output - **Categorical Cross Entropy** and Softmax
 - either *Generative* or *Discriminative*
 - Geometric interpretation
 - **Mean Squared Error** or **Hinge Loss** (like in Structured Perceptron)



Embeddings

- **Embeddings** - Dense vector representations of *words, characters, documents, etc.*
- *Used as input features for most Neural NLP models*
- Prepackaged – *word2vec, GloVe*
- Use pre-trained word embeddings *and* train them yourself!
- Pretrained models that give **contextualized** word embeddings: *ELMo, BERT, OpenAI GPT-2*

Word meaning as a neural word vector – visualization

expect =

$$\begin{pmatrix} 0.286 \\ 0.792 \\ -0.177 \\ -0.107 \\ 0.109 \\ -0.542 \\ 0.349 \\ 0.271 \\ 0.487 \end{pmatrix}$$


(Slide from [Manning and Socher](#))

Some References

- **NN Packages** – [TensorFlow](#), [PyTorch](#), [Keras](#)
- **Some Books**
 - [Goldberg book](#) (free from Georgetown)
 - [Goodfellow book](#) (Chapters and Videos)

Other architectures

- The layout of a network is called the **architecture**.
- Vanilla architecture: **Feed-forward**, with every node in the 1st layer connected to every node in the 2nd layer, etc.,
- Other architectures: **convolutional, recurrent, ...**