Lecture 16: English Syntax & CFGs

Nathan Schneider

(most slides from Marine Carpuat)

ENLP | 20, 25 March 2019

Today's Agenda

- From sequences to **trees**
- Syntax
 - Constituent, Grammatical relations, Dependency relations
- Formal Grammars
 - Context-free grammar
 - Dependency grammars
- Treebanks

sýntaxis (setting out or arranging)

- The ordering of words and how they group into phrases
 - [[the old man] [is yawning]]
 - [[the old] [man the boats]]

Syntax and Grammar

- Goal of syntactic theory
 - "explain how people combine words to form sentences and how children attain knowledge of sentence structure"
- Grammar
 - implicit knowledge of a native speaker
 - acquired without explicit instruction
 - minimally able to generate all and only the possible sentences of the language

[Philips, 2003]

Syntax vs. Meaning

"Colorless green ideas sleep furiously." — Noam Chomsky (1957)

You can tell that the words are in the right order.

- ...and that "colorless" and "green" modify "ideas"
- ...and that ideas sleep
- ...and that the sleeping is done furiously
- ...and that it sounds like an English sentence, even if you can't imagine what it means.
- Contrast with: "sleep green furiously ideas colorless"

But isn't meaning more important?

[send [the text message from James] [to Sharon]]

[translate [the message] [from Hindi] [to English]]

- When you say these to your phone, you want it to respond appropriately.
- We will see that syntax helps you find the meaning.

adapted from: Lori Levin

Syntax in NLP

- Syntactic analysis often a key component in applications
 - Grammar checkers
 - Dialogue systems
 - Question answering
 - Information extraction
 - Machine translation

Two views of syntactic structure

- Constituency (phrase structure)
 - Phrase structure organizes words in nested constituents
- Dependency structure
 - Shows which words depend on (modify or are arguments of) which on other words

CONSTITUENCY PARSING & CONTEXT FREE GRAMMARS

Constituency

- Basic idea: groups of words act as a single unit
- Constituents form coherent classes that behave similarly
 - With respect to their internal structure: e.g., at the core of a noun phrase is a noun
 - With respect to other constituents: e.g., noun phrases generally occur before verbs

Constituency: Example

• The following are all noun phrases in English...

| Harry the Horse | a high-class spot such as Mindy's |
|----------------------|--------------------------------------|
| the Broadway coppers | the reason he comes into the Hot Box |
| they | three parties from Brooklyn |

- Why?
 - They can all precede verbs
 - They can all be preposed/postposed

Grammars and Constituency

- For a particular language:
 - What are the "right" set of constituents?
 - What rules govern how they combine?
- Answer: not obvious and difficult
 - That's why there are many different theories of grammar and competing analyses of the same data!
- Our approach
 - Focus primarily on the "machinery"

Finite-State/Regular Grammars

- You've already seen one class of grammars: regular expressions
 ➤ A pattern like ^[a-z][0-9]\$ corresponds
 - to a grammar which **accepts** (matches) some strings but not others.
 - Can regular languages define *infinite* languages?
 - Can regular languages define arbitrarily complex languages?

Finite-State/Regular Grammars

- You've already seen one class of grammars: regular expressions
 ➤ A pattern like ^[a-z][0-9]\$ corresponds to a grammar which accepts (matches)
 - some strings but not others.
 - Can regular languages define infinite languages? Yes, e.g.: a*
 - Can regular languages define arbitrarily complex languages? No. Cannot match all strings with matched parentheses (recursion/arbitrary nesting).

Context-Free Grammars

- Context-free grammars (CFGs)
 - Aka phrase structure grammars
 - Aka Backus-Naur form (BNF)
- Consist of
 - Rules
 - Terminals
 - Non-terminals

Context-Free Grammars

• Terminals

- We'll take these to be words (for now)

- Non-Terminals
 - The constituents in a language (e.g., noun phrase)
- Rules
 - Consist of a single non-terminal on the left and any number of terminals and nonterminals on the right

An Example Grammar

| Grammar Rules | Examples |
|------------------------|---------------------------------|
| $S \rightarrow NP VP$ | I + want a morning flight |
| NP → Pronoun | I |
| Proper-Noun | Los Angeles |
| Det Nominal | a + flight |
| Nominal → Nominal Noun | morning + flight |
| Noun | flights |
| VP → Verb | do |
| Verb NP | want + a flight |
| Verb NP PP | leave + Boston + in the morning |
| Verb PP | leaving + on Thursday |

 $PP \rightarrow Preposition NP$ from + Los Angeles

CFG: Formal definition

- N a set of non-terminal symbols (or variables)
- Σ a set of **terminal symbols** (disjoint from *N*)
- *R* a set of **rules** or productions, each of the form $A \rightarrow \beta$, where *A* is a non-terminal,

 β is a string of symbols from the infinite set of strings $(\Sigma \cup N)*$

S a designated start symbol

Three-fold View of CFGs

• Generator

• Acceptor

• Parser

Derivations and Parsing

- A derivation is a sequence of rules applications that
 - Covers all tokens in the input string
 - Covers only the tokens in the input string

- **Parsing**: given a string and a grammar, recover the derivation
 - Derivation can be represented as a parse tree
 - Multiple derivations?

Parse Tree: Example



An English Grammar Fragment

- Sentences
- Noun phrases
 Issue: agreement
- Verb phrases

- Issue: subcategorization

Sentence Types

- Declaratives: A plane left. $S \rightarrow NP VP$
- Imperatives: Leave! $S \rightarrow VP$
- Yes-No Questions: Did the plane leave? $S \rightarrow Aux NP VP$
- WH Questions: When did the plane leave? $S \rightarrow$ WH-NP Aux NP VP

Noun Phrases

• We have seen rules such as

 $\begin{array}{rrr} NP &
ightarrow Det Nominal \ NP &
ightarrow ProperNoun \ Nominal &
ightarrow Noun \ | Nominal Noun \ | No \ | No$

 But NPs are a bit more complex than that!
 – E.g. "All the morning flights from Denver to Tampa leaving before 10"



Determiners

- Noun phrases can start with determiners...
- Determiners can be
 - Simple lexical items: the, this, a, an, etc. (e.g., "a car")
 - Or simple possessives (e.g., "John's car")
 - Or complex recursive versions thereof (e.g., John's sister's husband's son's car)

Premodifiers

- Come before the head
- Examples:
 - Cardinals, ordinals, etc. (e.g., "three cars")
 - Adjectives (e.g., "large car")
- Ordering constraints

- "three large cars" vs. "?large three cars"

Postmodifiers

- Come after the head
- Three kinds
 - Prepositional phrases (e.g., "from Seattle")
 - Non-finite clauses (e.g., "arriving before noon")
 - Relative clauses (e.g., "that serve breakfast")
- Similar recursive rules to handle these
 - Nominal \rightarrow Nominal PP
 - Nominal \rightarrow Nominal GerundVP
 - Nominal \rightarrow Nominal RelClause

A Complex Noun Phrase Revisited



Subject and Object

Syntactic (not semantic):

The batter hit the ball [subject is semantic *agent*] The ball was hit by the batter [subject is semantic *patient*] The ball was given a whack by the batter [subject is semantic *recipient*] {George, the key, the wind} opened the door

Subject ≠ topic:

I just married the most beautiful woman in the world Now **beans**, I like As for democracy, I think it's the best form of government

credit: Lori Levin, Archna Bhatia

Subject and Object

- English subjects
 - > agree with the verb
 - when pronouns, in nominative case (I/she/he/we/they)
 - omitted from infinitive clauses
 - (I tried _ to read the book, I hoped _ to be chosen)
- English objects
 - when pronouns, in accusative case (me/her/him/us/them)
 - become subjects in passive sentences

credit: Lori Levin, Archna Bhatia

Agreement

- Agreement: constraints that hold among various constituents
- Example, number agreement in English

This flight Those flights One flight Two flights *This flights*Those flight*One flights*Two flight

Problem

- Our NP rules don't capture agreement constraints
 - Accepts grammatical examples (this flight)
 - Also accepts ungrammatical examples (*these flight)
- Such rules **overgenerate**

Possible CFG Solution

- Encode agreement in non-terminals:
 - $-SgS \rightarrow SgNP SgVP$
 - $PIS \rightarrow PINP PIVP$
 - SgNP \rightarrow SgDet SgNom
 - $PINP \rightarrow PIDet PINom$
 - $PIVP \rightarrow PIV NP$
 - $-SgVP \rightarrow SgV Np$

Verb Phrases

- English verb phrases consists of
 - Head verb
 - Zero or more following constituents (called arguments)
- Sample rules:
 - $VP \rightarrow Verb$ disappear
 - $VP \rightarrow Verb NP$ prefer a morning flight
 - $VP \rightarrow Verb NP PP$ leave Boston in the morning
 - $VP \rightarrow Verb PP$ leaving on Thursday

Subcategorization

- Not all verbs are allowed to participate in all VP rules
 - We can subcategorize verbs according to argument patterns (sometimes called "frames")
 - Modern grammars may have 100s of such classes

Subcategorization

• Sneeze: John sneezed

-

- Find: Please find [a flight to NY]_{NP}
- Give: Give [me]_{NP} [a cheaper fare]_{NP}
- Help: Can you help [me]_{NP} [with a flight]_{PP}
- Prefer: I prefer [to leave earlier]_{TO-VP}
- Told: I was told [United has a flight]_S

Subcategorization

- Subcategorization at work:
 - *John sneezed the book
 - *I prefer United has a flight
 - *Give with a flight
- But some verbs can participate in multiple frames:
 - I ate
 - I ate the apple
- How do we formally encode these constraints?

Why?

- As presented, the various rules for VPs overgenerate:
 - $VP \rightarrow Verb$ disappear
 - $VP \rightarrow Verb NP$ prefer a morning flight
 - $VP \rightarrow Verb NP PP$ leave Boston in the morning
 - $VP \rightarrow Verb PP$ leaving on Thursday

John sneezed [the book]_{NP}
 Allowed by the second rule...

Possible CFG Solution

- Encode agreement in non-terminals:
 - $-SgS \rightarrow SgNP SgVP$
 - $PIS \rightarrow PINP PIVP$
 - SgNP \rightarrow SgDet SgNom
 - $PINP \rightarrow PIDet PINom$
 - $PIVP \rightarrow PIV NP$
 - $-SgVP \rightarrow SgV Np$
- Can use the same trick for verb subcategorization

Grammar Formalisms

- Linguists have invented grammar formalisms that overcome the limitations of Context-Free Grammars
 - Lexical Functional Grammar
 - Head-Driven Phrase Structure Grammar
 - Combinatory Categorial Grammar
 - Lexicalized Tree-Adjoining Grammar
 - Grammatical Framework
- We sometimes teach a class on these.

Recap: Three-fold View of CFGs

- Generator
- Acceptor
- Parser

Recap: why use CFGs in NLP?

- CFGs have about just the right amount of machinery to account for basic syntactic structure in English
 - Lot's of issues though...
- Good enough for many applications!
 But there are many alternatives out there...

DEPENDENCY GRAMMARS

Dependency Grammars

- CFGs focus on constituents
 - Non-terminals don't actually appear in the sentence
- In dependency grammar, a parse is a graph (usually a tree) where:
 - Nodes represent words
 - Edges represent dependency relations between words (typed or untyped, directed or undirected)

Dependency Grammars

 Syntactic structure = lexical items linked by binary asymmetrical relations called dependencies



Example Dependency Parse



TREEBANKS

Treebanks

- Treebanks are corpora in which each sentence has been paired with a parse tree
- These are generally created:
 - By first parsing the collection with an automatic parser
 - And then having human annotators correct each parse as necessary
- But
 - Detailed annotation guidelines are needed
 - Explicit instructions for dealing with particular constructions

Penn Treebank

Penn TreeBank is a widely used treebank
 – 1 million words from the Wall Street Journal

Treebanks implicitly define a grammar for the language

Penn Treebank: Example

```
( (S ('' '')
   (S-TPC-2
     (NP-SBJ-1 (PRP We) )
     (VP (MD would)
       (VP (VB have)
         ( S
           (NP-SBJ (-NONE - *-1))
           (VP (TO to)
             (VP (VB wait)
               (SBAR-TMP (IN until)
                 ( S
                  (NP-SBJ (PRP we) )
                  (VP (VBP have)
                    (VP (VBN collected)
                      (PP-CLR (IN on)
                        (, ,) ('' '')
   (NP-SBJ (PRP he) )
   (VP (VBD said)
     (S (-NONE - *T* - 2)))
   (...)
```

Treebank Grammars

- Such grammars tend to be very flat

 Recursion avoided to ease annotators burden
- Penn Treebank has 4500 different rules for VPs, including...
 - $-VP \rightarrow VBD PP$
 - $-VP \rightarrow VBD PP PP$
 - $-VP \rightarrow VBD PP PP$
 - $-VP \rightarrow VBD PP PP PP$

Summary

- Syntax & Grammar
- Two views of syntactic structures
 - Context-Free Grammars
 - Dependency grammars
 - Can be used to capture various facts about the structure of language (but not all!)
- Treebanks as an important resource for NLP